TECHNICAL SPECIFICATION ER32L100





MODEL ER32L100 Lithium Thionyl Chloride (Li-SOCI2) Battery (International size reference: 1/6D, ER32L100)

ELECTRICAL CHARACTERISTICS

(typical values for cells stored for one year or less, at 25°C)

Nominal capacity 1.70Ah (at 1.0 mA, +25°C, 2.0V cut off. The capacity restored by the cell varies according to current drain, temperature and cut off voltage.)

Rated voltage	3.6 V
Maximum recommended continuous current	10 mA

- (to get 50% of the nominal capacity at +25°C with 2.0V cut off. Higher currents possible. Consult Omnicel.)
- Pulse capability: varies according to pulse characteristics (frequency and duration), temperature, cell history (storage conditions prior to usage) and the application's acceptable minimum voltage.

Maximum pulse current capability Rated 1 sec. pulse capability (to 3V)		50 mA 20 mA
Storage	(recommended) (possible without leakage)	30°C max -55° / +120°C
Operating	g temperature range	-55° / +85°C

(Operation at temperature different from ambient may lead to reduced capacity and lower voltage plateau readings.)

KEY FEATURES

- High and stable operating voltage
- High minimum voltage during pulsing
- Low self discharge rate (less than 1% after 1 year of storage at +25°C)
- Stainless steel container
- Hermetic glass-to-metal sealing
- ✓ Non-flammable electrolyte
- Compliant with IEC 86-4 safety standard and EN 50020 intrinsic safety
- Non restricted for transport
- Underwriters Laboratories (UL)
 Component Recognition
 (File Number MH 47566)

MAIN APPLICATIONS

- ✓ Utility metering
- Alarms and security devices
- Memory back-up
- Tracking systems
- Tollgate systems
- Automotive electronics
- Professional electronics
 ... etc.

WARNING:

Fire, explosion and severe burn hazard. Do not recharge, crush, disassemble, heat above $212^{\circ}F$ ($100^{\circ}C$), incinerate, or expose contents to water.

Note: Any representations in this data sheet concerning performance are for informational purpose only and are not construed as warranties, either expressed or implied, of future performance.













OmniCel

www.omnicel.com 800.332.2436