OSRAM

CONCENTRA SPOT R50

Incandescent lamps with reflector R50 for accent lighting

Areas of application

– Accent lighting

Product features

– Base: E14


non EU

Technical data

	Electrical data		Photometrical data		Light technical data		Dimensions & weight		Lifespan	Additional product data
Product description	Nominal wattage	Nominal voltage	Nominal useful luminous flux 90°	Color temperature	Beam angle	Starting time	Diameter	Overall length	Nominal lamp life time	Base (standard designation)
CONC R50 SP 25 W 230 V E14 [1]	25.00 W	230 V	90 lm		30 °	0.0 s	50.0 mm	85.0 mm	1000 h	E14
CONC R50 SP 40 W 230 V E14 [1]	40.00 W	230 V	190 lm	2700 K	30 °	0.0 s	50.0 mm	85.0 mm	1000 h	E14

			Capabilities	Certificates & standards	Country specific categorizations
Product description	Mercury content	Mercury-free	Dimmable	Energy efficiency class	ILCOS
CONC R50 SP 25 W 230 V E14 [1]	0.0 mg	Yes	Yes	E	IRR-25-230-E14-50/30
CONC R50 SP 40 W 230 V E14 [1]	0.0 mg	Yes	Yes	E	IRR-40-230-E14-50/30

[1] Banned from 1.9.2014 as per EU phase-out plan

CONC R50 SP 25 W 230 V E14, CONC
R50 SP 40 W 230 V E14

CONC R50 SP 25 W 230 V E14, CONC
R50 SP 40 W 230 V E14

Application advice

For more detailed application information and graphics please see product datasheet.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899180468	CONC R50 SP 25 W 230 V E14	Shipping carton box 25	263 mm x 263 mm x 104 mm	7.19 dm³	733.00 g
4052899180482	CONC R50 SP 40 W 230 V E14	Shipping carton box 25	263 mm x 263 mm x 104 mm	7.19 dm³	740.00 g

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

—